Module & Component	Function		Note
Windows CE			
1394api	1394 Tools		
1394bus	1394		
1394dcam	1394 Dcam		
1394diag	1394 Diag		
1394ohcd	1394		
1394vdev	1394 Diag		
61883	1394		
8042keyboard	Driver DLLs compiled for all platforms		
Afd	Auxiliary Function Driver (AFD) Protocol Manager module	O	
ASYNCMAC	AsyncMAC miniport driver Supports (used for NDISWAN)	O	
Atadisk	Advanced Technology Attachment (ATA) disk support module		
Atapi			
audiodrv	Audio		
AUTODIAL	Point-to-Point Tunneling Protocol support		
Autoras		O	
Avc	1394		
avc_stream	1394		
avc_unit	1394		
avc_vcr	1394		
avc_vvcr	1394		
battery	Dummy targets to filter components in BSP	O	
bridge	Point-to-Point Tunneling Protocol support		
btd	BlueTooth		
hci			
l2cap			
portemu			
rfcomm			
sdp			
sys			
tdi			
uart			
univ			
usb			
btdrt	BlueTooth		
sdpuser			
BTDRTSTUBS	BlueTooth		
bthamb	BlueTooth Driver		
bthcsr	BlueTooth Driver		
bthsc	BlueTooth Driver		
bthuart	BlueTooth Driver		
bthuniv	BlueTooth Driver		
bthusb	BlueTooth Driver		
bthwss	BlueTooth Driver		
btloader	BlueTooth		
bthlink	BlueTooth		
BTHNS	BlueTooth		

Copyright 2002 CASIO Computer Co., Ltd. All rights reserved.

BULLTLP3	Supports the Bull TLP3 Serial smart card reader.		
Cardserv	PC Card services module		
Ceddk	Device Driver Kit (DDK) library	O	
Cegsm	CEGSM module (Provides audio-compression support.)		
Ceramdrv	RAM disk driver module (creates storage cards in RAM)		
cerundll32	1394 Tools		
cewdmmgr	1394		
Cmd	Command Processor module (command-line shell)	O	
Commctrl	Common Controls Control Panel application module	O	
capedit	*Common Controls*	*O*	
cmdbar	*Common Controls*	*O*	
date	*Common Controls*	*O*	
dsa	*Common Controls*	*O*	
listview	*Common Controls*	*O*	
progress	*Common Controls*	*O*	
propsheet	*Common Controls*	*O*	
status	*Common Controls*	*O*	
tab	*Common Controls*	*O*	
rebar	*Common Controls*	*O*	
toolbar	*Common Controls*	*O*	
tooltips	*Common Controls*	*O*	
trackbar	*Common Controls*	*O*	
treeview	*Common Controls*	*O*	
updown	*Common Controls*	*O*	
Commdlg	Common dialog box module (ChooseColor,CommDlgExtendedError,PrintDlg)	O	Modified module
connmc		O	
Console	Console module (command-line shell)		
Coredll	Core OS dynamic-link library (DLL) module (required)	O	
Accel_c	*Create accelerator table component*	*O*	
Coregwestub	*Stub function for GWE module.*		
Coreimm	*Input Method Manager (IMM) component*	*O*	
Coreimmstub	*Stub function for Input Method Manager (IMM)*		
Coreloc	*Global national language support (NLS) component (required)*	*O*	
Coremain	*Base functionality component (required)*	*O*	
Coresioa	*Standard I/O (stdio) component ? 'A' version of APIs*	*O*	
Coresiow	*Stdio component ? 'W' version of APIs*	*O*	
Coresip	*Input panel component*	*O*	
Corestra	*Sprintf-style string handling component*	*O*	
Corestrw	*sscanf-style string handling functions component*	*O*	
CRT_CPP_SEH	*structured exception handling*		
CRT_RTTI	*Run-Time Type Information (RTTI)*		
Cryptapi	*Cryptography component*	*O*	
DEVLOAD	*Exports driver-related helper functions*	*O*	
FIBER	*fiber execution and scheduling*	*O*	
Fileinfo	*ShGetFileInfo APIs component*	*O*	
Fileopen	*GetOpenFileName and GetSaveFileName APIs component*	*O*	*Modified component*
Fmtmsg	*Message formatting component*	*O*	
Fmtres	*Provides FormatMessage API resources for the fmtmsg component*		
Fpemul	*Floating point emulation component*		
FULL_CRT	*Contains the complete set of CRT run-time libraries for Windows CE*	*O*	
Lmem	*Local heap and memory allocation component (required)*	*O*	

Copyright 2002 CASIO Computer Co., Ltd. All rights reserved.

LOCMINI	*Subset of the Locale API for the US locale only*		
Locusa	*U.S.-specific component*		
DIALOGBOXTHUNK	*a headless message box*	*O*	
Mgdi_c	*GDI component*	*O*	
MMACM	*Audio Compression Manager component*	*O*	
MMACMUI	*Provides a UI for the Audio Compression Manager*	*O*	
MMMIX	*Audio mixer component*	*O*	
MMSND	*sound playing*	*O*	
MMWAVE	*an audio waveform service.*	*O*	
MULTIUI	*the Multilanguage UI*		
Rectapi	*Graphics device interface (GDI) rectangle support component*	*O*	
Rsa32	*RSA encryption component*	*O*	
Serdev	*Win32 communication component*	*O*	
Shcore	*Shell component*	*O*	
Shellapis	*Shell API support component (SHAddToRecentDocs, Shell_NotifyIcon)*	*O*	*Modified component*
Shexec	*Shell API support component (ShellExecuteEx)*	*O*	
Shmisc	*Miscellaneous shell API component (SHLoadDIBitmap, SHShowOutOfMemory)*	*O*	
Shortcut	*Shell API support component (SHCreateShortcut, SHGetShortcutTarget)*	*O*	
Tapilib	*Telephony API (TAPI) support component*	*O*	
Thunks	*Kernel to Win32 thunk routines component (required)*	*O*	
Wavelib	*Wave and ACM audio component*		
Wmgr_c	*Window manager component*	*O*	
CRYPT32	Point-to-Point Tunneling Protocol support	O	
CRYPTDLL	Support encryption		
csp	Chip Support Package drivers		
Cxport	Common transport utilities module	O	
dc21x4	Built in (e.g. PCI only) NIC drivers		
Device	Installable device manager module	O	
devmain	*Base components*	*O*	
pmapi	*Base components*	*O*	
Dhcp	Dynamic host configuration module	O	
display	Driver DLLs compiled for all platforms		
dp83815	Built in (e.g. PCI only) NIC drivers		
Dualio	PC Card client driver module for the Socket Communications Dual Serial I/O card		
ENROLL	Supports certificate enrollment.		
Etcha	Sample module for drawing application		
Eap	802.11		
eapchap	802.11		
eapol	802.11		
eaptls	802.11		
ethman	Ethernet	O	
Fatfs	File allocation table (FAT) file system module	O	Modified module
fatfsd	FatFS support	O	
FATUTIL	FatFS support	O	
Filesys	File system module	O	
Fsdbase	*Database component*	*O*	
fsdmgr	*File System Driver (FSD) manager (interactions with installable FSDs)*	*O*	
Fsheap	*Heap file system component*	*O*	
Fsmain	*Object store component*	*O*	
Fspass	*Password component*	*O*	
Fsreg	*Registry component*	*O*	

Copyright 2002 CASIO Computer Co., Ltd. All rights reserved.

FSREGHIVE	the Windows CE registry		
FSREPLBIT	the Windows CE registry	O	
FSREPLCOUNT	the Windows CE registry		
Fsysram	RAM and ROM file system component	O	
Fsysrom	ROM file system component		
MSGQUEUE	message queuing	O	
Pmstub	Provides post-message stubbing		
FONTS			
arial	TrueType font file (Arial)		
ARIAL_1_30	Arial (subset 1_30) font		
ARIALBD	Arial bold font		
ARIALBI	Arial bold italic font		
ARIALI	Arial italic font		
ARIALK	Arial black font		
bookdings	TrueType font file		
COMIC	Comic sans MS font		
COMICBD	Comic sans bold MS font		
cour	TrueType font file (Courier New)		
COUR_1_30	Courier new (subset 1_30) font	O	
COURBD	Courier new bold font		
COURBI	Courier new bold italic font		
COURI	Courier new italic font		
frutiger	TrueType font file		
frutigerb	TrueType font file		
frutigeri	TrueType font file		
GEORGIA	Georgia font		
GEORGIAB	Georgia bold font		
GEORGIAI	Georgia italic font		
GEORGIAZ	Georgia bold italic font		
gl_ce	TrueType font file (Korean, Gulim)		
GULIM_1_30	Gulim (subset 1_30) font for Korean language		
GULIM_1_40	Gulim (subset 1_40) font for Korean language		
GULIM_1_50	Gulim (subset 1_50) font for Korean language		
GULIM_1_60	Gulim (subset 1_60) font for Korean language		
IMPACT	Impact font		
KINO	Kino font		
MINGLIU	Mingliu font for Traditional Chinese language		
MINGLIU_2_70	Mingliu (subset 2_70) font for Traditional Chinese language		
MINGLIU_2_80	Mingliu (subset 2_80) font for Traditional Chinese language		
MINGLIU_2_90	Mingliu (subset 2_90) font for Traditional Chinese language		
MSMING	Msming font for Traditional Chinese language		
msgothic	TrueType font file (MS Gothic & MS PGothic)		
MSGOTHIC_1_50	Msgothic (subset 1_50) font for Japanese language		
MSGOTHIC_1_60	Msgothic (subset 1_60) font for Japanese language		
MSGOTHIC_1_70	Msgothic (subset 1_70) font for Japanese language		
MSGOTHIC_1_80	Msgothic (subset 1_80) font for Japanese language		
MSGOTHIC_1_90	Msgothic (subset 1_90) font for Japanese language		
MSGOTHIC30	Msgothic30 font for Japanese language		
MSLOGO	Mslogo font		
msming	TrueType font file (Chinese, MS Ming)		
SIMSUN	Simsun font for simplified Chinese language		

Copyright 2002 CASIO Computer Co., Ltd. All rights reserved.

SIMSUN_2_50	*Simsun (subset 2_50) font for simplified Chinese language*		
SIMSUN_2_60	*Simsun (subset 2_60) font for simplified Chinese language*		
SIMSUN_2_70	*Simsun (subset 2_70) font for simplified Chinese language*		
SIMSUN_2_80	*Simsun (subset 2_80) font for simplified Chinese language*		
SIMSUN_2_90	*Simsun (subset 2_90) font for simplified Chinese language*		
sunfon	*TrueType font file (Chinese, SC_Song)*		
symbol	*TrueType font file (Symbol)*		
tahoma	*TrueType font file (Tahoma)*		
TAHOMA_1_07	*Tahoma (subset 1_70) font*	*O*	
tahomabd	*TrueType font file (Tahoma Bold)*		
times	*TrueType font file (Times New Roman)*		
TIMES_1_30	*Times (subset 1_30) font*		
TIMESBD	*Times bold font*		
TIMESBI	*Times bold italic font*		
TIMESI	*Times italic font*		
TREBUC	*Trebuchet font*		
TREBUCBD	*Trebuchet bold font*		
TREBUCBI	*Trebuchet bold italic font*		
TREBUCIT	*Trebuchet italic font*		
VERDANA	*Verdana font*		
VERDANAB	*Verdana bold font*		
VERDANAI	*Verdana italic font*		
VERDANAZ	*Verdana bold italic font*		
WEBDINGS	*Webdings font*		
WINGDING	*Wingdings font*		
gb18030			
Generic	Sample application module		
giisr	Driver DLLs compiled for all platforms		
GSM610	Audio Compression Manager (ACM) drivers (ACM sample codec driver)		
Gwes	Graphics, Windowing, and Events Subsystem (GWES) module	O	
Accel	*Accelerator component*	*O*	
ACCESSIB	*accessibility settings*		
ATOM	*atom tables*	*O*	
Audio	*Audio component*	*O*	
Btnctl	*Button control component*	*O*	
BTNCTLVIEW	*a sample skin similar to Windows 95 for button controls*	*O*	
BTNCLVIEWXP	*a Windows XP-like sample skin for button controls*		
Calibrui	*Touch Screen Calibration UI component*	*O*	
Caret	*Caret component*	*O*	
Cascade	*Cascading menu component*	*O*	
Cdlctl	*Candidate list control component*	*O*	
Clipbd	*Clipboard component*	*O*	
Cmbctl	*Combo box control component*	*O*	
CMBCTLVIEW	*a sample skin similar to Windows 95 for combo box controls*	*O*	
CMBCTLVIEWXP	*a sample skin similar to Windows XP for combo box controls*		
Column	*Multi-column menu component*	*O*	
Cursor	*Win32 cursor API component*	*O*	
Cursor2	*Win32 cursor API component (2-bit color)*		
Cursor8	*Win32 cursor API component (8-bit color)*	*O*	
DECOMPDRV	*font compression for East Asian languages*		
Defwndproc	*Default window procedure component*	*O*	

Copyright 2002 CASIO Computer Co., Ltd. All rights reserved.

Dlgmgr	Dialog box manager component	O	
Dlgmnem	Dialog box mnemonics component	O	
Drawmbar	Menu bar component	O	
Edctl	Edit control component	O	
EDIMECHN	Edit control component for Simplified and Traditional Chinese		
Edimefe	East Asia edit control component (required for all East Asia products)		
Edimefek	Korean edit component		
Edimejpn	Japanese-specific portion of East Asia edit control component		
Edimekor	Korean edit component		
Foregnd	Foreground window, active window, and focus component	O	
Gcache	Window manager cache component	O	
GCACHEVIEW	a sample skin similar to Windows 95 for the window manager cache component	O	
Getpower	Battery power component	O	
Gsetwinlong	Get/SetWindowLong component	O	
Gwectrl	GWES base component	O	
Gweshare	GWES shared routines component	O	
Gwesmain	GWES initialization component	O	
Hotkey	Win32 hot key component	O	
Icon	Win32 icon support component	O	
ICONCMN	Win32 icon support component	O	
Iconcurs	Supports Win32 cursor icons		
Idle	System-idle timer component	O	
Imgctl	Image control component	O	
Immthunk	Input Method Manager (IMM) thunking component	O	
Journal	Simple journal component	O	
Kbdui	Keyboard interface component	O	
Lbctl	List box component	O	
LBCTLVIEW	a sample skin similar to Windows 95 for list box controls	O	
LBCTLVIEWXP	a sample skin similar to Windows XP for list box controls		
Loadbmp	Bitmap loading component	O	
Loadimg	Image loading component	O	
Loadstr	String loading component		
Mcursor	Win32 cursor support component		
Mcursor8	8-bit Win32 cursor support component		
Menu	Win32 base menu control component	O	
Menuscrl	Scrolling menu support component	O	
Mgalias	GDI font alias support component	O	
Mgbase	GDI base component	O	
Mgbitmap	GDI bitmap component	O	
Mgblt	Bit block transfer component	O	
Mgblt2	Bitmap transfer component	O	
Mgdc	Device context component	O	
Mgdibsec	Device-independent bitmap component	O	
Mgdraw	Drawing tool component	O	
Mgdrwtxt	Text drawing component	O	
Mgdx	DirectDraw bitmap component	O	
Mgfe	Provides Asian word-break support for GDI		
Mgpal	Palette support component	O	
Mgpalnat	Natural palette support component	O	
Mgprint	Printing support component		
Mgrast	Raster font engine component		

Copyright 2002 CASIO Computer Co., Ltd. All rights reserved.

Mgrast2	*Raster font engine component*		
Mgrgn	*Drawing region support component*	*O*	
Mgtci	*Win32 TranslateCharsetInfo API component*	*O*	
Mgtt	*TrueType font component*	*O*	
Mgwinmgr	*GDI and user-shared interface component*	*O*	
Mnoover	*Win32 menu control support component*	*O*	
Mnotapui	*Win32 menu control support component*	*O*	
Moverlap	*Overlapped menu component*		
Msgbeep	*Win32 MessageBeep component*	*O*	
Msgbox	*Primary message box component*	*O*	
Msgbox2	*2 bits per pixel (bpp) message box component*		
Msgbox28	*2-bpp or 8-bpp message box component*	*O*	*Modified component*
Msgque	*Message queue component*	*O*	
Mtapui	*Win32 menu control support component*		
Nclient	*Non-client area window manager component*	*O*	
NCLIENTVIEW	*a sample skin similar to Windows 95 for the nonclient-area window manager*	*O*	
NCLIENTVIEWXP	*a sample skin similar to Windows XP for the nonclient-area window manager*		
Nled	*Notification LED component*	*O*	
Notifmin	*Event notification component (for NO UI system)*		
Notifpub	*Notification subsystem support component*	*O*	
Notify	*Event notification component*	*O*	
Oom	*Out of Memory component*	*O*	
Oomui	*Out of Memory UI component*	*O*	
Sbcmn	*Scroll bar control component*	*O*	
SBCMNVIEW	*a sample skin similar to Windows 95 for scrollbar control controls*	*O*	
SBCMNVIEWXP	*scrollbar controls similar to Windows XP*		
Scbctl	*Scroll bar control component*	*O*	
Startui	*Startup dialog box UI component*	*O*	
Startup	*Startup component*	*O*	
Stcctl	*Static control component*	*O*	
STCCTLVIEW	*a sample skin similar to Windows 95 for static controls*	*O*	
STCCTLVIEWXP	*sample skin similar to Windows XP for static controls*		
Syscolor	*Win32 system color support component*	*O*	
Tchui	*Touch-screen user-interface component*	*O*	
Timer	*Win32 timer component*	*O*	
Uibase	*UI base component*	*O*	
Winmgr	*Window manager component*	*O*	
Wmbase	*Window manager support component*	*O*	
HELLO	sample Hello World application		
HTTPDADMIN	HTTP admin tool (Web server to be configured remotely through a Web browser)		
httplite			
httpftp			
HWXCHT	Chinese Traditional handwriting input		
Hwxjpn	Japanese handwriting module		
HWXKOR	Korean handwriting input		
Hwxusa	English handwriting module		
IME_Files	IME support		
Imejpp	Japanese Input method editor module		
IMEJPP_DIC_N			
IMEJPP_DIC_S			
Imejppui	support for the Pocket IME		

Copyright 2002 CASIO Computer Co., Ltd. All rights reserved.

IMESKDIC			
inksamp			
inksamp2			
IPCONFIG	diagnostic ipconfig command		
IPHLPAPI	IP Helper API		
IPNAT	Point-to-Point Tunneling Protocol support		
ipsm	FSD		
Ircomm	Infrared communications module		
Irdastk	Stack module for infrared communications		
Kbdmsg	Keyboard sample test application module		
KERBEROS	Kerberos authentication		
keybd	Dummy targets to filter components in BSP		
largekb	SIP and IM		
loaddbg	Debugging/tools support		
LPCD	main engine for the local procedure-call driver (LPCD)		
LPCRT	run-time support for the local procedure-call driver (LPCRT)		
MBOXCHT	a sample input method for Traditional Chinese handwriting		
MBOXKOR	a sample input method for Korean IME and HWXKOR		
mbridge	PCMCIA NDIS miniport drivers		
MSASN1	Point-to-Point Tunneling Protocol support	O	
Msfilter	Sample Audio Compression Manager (ACM) filter module		
Mshime97	Korean IME module		
Msim	United States input method module		
Msime98	Japanese IME		
Msime98c	Japanese IME98 component		
Msime98d	Japanese IME98 component		
MSIME98DIC_C	Japanese IME98 component		
MSIME98DIC_S	Japanese IME98 component		
Msime98k	Japanese IME98 component		
Msime98m	Japanese IME98 component		
Msime98t	Japanese IME98 component		
Msime98u	Japanese IME98 component		
MSKANA	an on-screen keyboard that enables input of Hiragana and Katakana		
mspart	FatFS support	O	
MSRADLIST	Enables character input based on radical search		
MSROMA	an on-screen keyboard that enables input of the western alphabet		
MSSTRKLIST	Enables character input based on character stroke search		
MSTSC	Microsoft Terminal Server Client		
MULTIBOX	sample input method for Japanese handwriting input		
multimon	Multimon components		
Ndis	Network Driver Interface Specification (NDIS) network module	O	
ndispwr		O	
ndisuio	Ethman requires NDISUIO	O	
Ne2000	NE2000 NDIS miniport driver module	O	
NET	Microsoft Message Queuing (MSMQ) functionality support module		
net2890			
Netbios	Netbios over TCP/IP module		
Netui	Network UI module (repllog requierd)	O	
Nk	OS kernel module (required)	O	
CEFNK	*CEF*		
NKCOMPR	*file compression*	*O*	

Copyright 2002 CASIO Computer Co., Ltd. All rights reserved.

NKMAPFILE	*MapFile*	*O*	
NKNOCOMP	*No file compression*		
NKNOCEFNK	*Stubs out CEF support*		
NKNOMAPFILE	*No MapFile*		
NOCEFNK	*No CEF*		
SCHEDLOG	*Assists OEMs using the LogThread* and LogProcess* APIs*		
nled	Dummy targets to filter components in BSP		
nopkeyboard	Driver DLLs compiled for all platforms		
nspm	Winsock2 components	O	
Ntlmssp	Windows NT Lan Manager secure socket provider module		
Parallel	Parallel port driver module		
Pci	Driver DLLs compiled for all platforms		
Pcl	PCL printer driver module		
pcmcia	Driver DLLs compiled for all platforms		
pcmconv	Driver DLLs compiled for all platforms		
pcx500	PCMCIA NDIS miniport drivers		
Pegterm	Terminal Connections Application (serial or modem)		
pime_files	support for the Japanese Pocket IME		
PING	the Ping network command utility		
pointer	Dummy targets to filter components in BSP		
Ppp	PPP and RAS functions module	O	
PPTP	Point-to-Point Tunneling Protocol		
Prnerr	Printer port error information and dialog module		
Prnport	Printer transport layer module		
Proxim	Proxim wireless Ethernet module		
PSCR	Driver for SCM PCMCIA smart-card reader		
Ramdisk	RAM disk driver module		
Rasdemo	Remote Access Service (RAS) demo module		
RASDIAL	Supports RAS dialing functionality		
RASENTRY	Provides support for the RasEntry application		
Redir	Network redirector module		
regenum	Driver DLLs compiled for all platforms	O	
relfsd	Debugging/tools support	O	
Remnet	Remote network dialing application module	O	
Rnaapp	Remote network dialing application support module (repllog required)	O	
rndismini			
rndismp	USB modules		
ROUTE	automatically configures TCP/IP routing tables application		
Rsabase	RSA encryption module (56 bit)	O	
RSAENH	enhanced RSA encryption module (128 bit)	O	
rtl8139	Built in (e.g. PCI only) NIC drivers		
RT_TESTS			
sbp2	1394		
SCARD	Supports Smartcard PC/SC resource manager functionality		
Schannel	Secure Sockets Layer (SSL) and program comprehension tool (PCT) module	O	
scsiblk	1394		
scwapi	CAPI		
scwcsp	CAPI		
scwcspgui	CAPI		
sdmmc	Block Driver support		
Secur32	Supports the Security Support Provider Interface (SSPI)	O	

Copyright 2002 CASIO Computer Co., Ltd. All rights reserved.

serial	Driver DLLs compiled for all platforms		
setupapi	1394		
Shell	Debugging shell module (CESH)	O	
SIPSELECT	sample program for on-the-fly selection of any available IM		
smsc100fd	Built in (e.g. PCI only) NIC drivers		
SNMP	Simple Network Management Protocol (SNMP)		
SNMP_HOSTMIB	SNMP Host-Management Information Base (MIB)		
SNMP_MIBII	MIBII for the SNMP implementation		
SNMP_SNMPTESTM	SNMPTESTMIB for the SNMP implementation		
Softkb	Input panel device driver module	O	
Spincube	Spinning cube sample application module		
Spintest	Sample application module		
Splusa	United States spelling checker module	O	
Sramdisk	Static RAM (SRAM) PC Card device module		
STCUSB	SCM Microsystems USB Smart Card reader		
Tapi	Telephony API (TAPI) support module	O	
Tcpstk	TCP/IP stack module	O	
Termctrl	Terminal property	O	
Testime	Sample IME application module		
Text	Sample text application module		
TKTEST			
Toolhelp	ToolHelp debugger support module	O	
topomap	1394 Tools		
Trueffs	True Flash File System for Windows CE (TrueFFS/CE) block device driver module		
udfs	FSD		
Unimodem	Unimodem module	O	
usb8023	USB modules		
Usbd	Universal serial bus (USB) module		
usbdisk6	USB modules		
Usbhid	USB human interface device (HID) driver module		
Usbmouse	USB mouse driver module		
usbmsc	USB modules		
usbprn	USB modules		
usbser	USB Function driver		
UTL98	Supports IME 98		
virtdcam	1394 Dcam		
vmini	Debugging/tools support	O	
Waveapi	Wave and ACM audio API module	O	
wapiacm	*ACM (Audio Compression Manager)*	*O*	
wapiacmui	*ACM (Audio Compression Manager)*	*O*	
wapimap		*O*	
wapiwave		*O*	
wavesamples	Audio		
Wceload	application installation support module		
wcestreambt	BlueTooth Driver		
wendyser	BlueTooth Driver		
wdmlib	1394		
WINSCARD	Exposes PC/SC services for using smart cards and smart card readers		
win1394	1394 Tools		
Winsock	Winsock services module	O	
Sslsock	*SSL Winsock support component*	*O*	

Copyright 2002 CASIO Computer Co., Ltd. All rights reserved.

wldap32	LDAP		
ws2	Winsock2 components	O	
ws2instl	Winsock2 components	O	
wspm	Winsock2 components	O	
wzcsapi	802.11 support (zero configuration and 802.1x)		
wzcsvc	802.11 support (zero configuration and 802.1x)		
Xircce2	Xircom Ethernet driver module		
zclog	802.11 support (zero configuration and 802.1x)		
Datasync			
CEFOBJ	file synchronization		
EVENTRST	base synchronization		
PEGOBJ	mail and personal information manager (PIM) synchronization		
Rapisrv	RAPI server module	O	
rra_stm	base synchronization	O	
Repllog	Windows CE Services module	O	
SYSTEMCPL	base synchronization		
UDP2TCP			
DCOM			
ATL	Active Template Library (atlce300.dll)	O	
DCOMSSD	DCOM Service Control Module (SCM)		
DLLHOST	aggregates all of the interfaces of the DLL and exposes them to any remote clients		
DOTNETPROF2			
MFC	Microsoft Foundation Classes (mfcce300_ca.dll, olece300_ca.dll)	O	Modified module
MSITSS	Supports encrypted storage		
Ole32	OLE support module	O	
Com	*Component Object Model (COM) interface component*		
DCOMOLE	*Main DCOM support*		
Docfile	*Microsoft Win32R docfile component*	*O*	
Exp	*OLE storage services component*	*O*	
MCOMBASE	*the Minimal COM feature*	*O*	
MCOMLIB	*the Minimal COM feature*	*O*	
MCOMMEM	*the Minimal COM feature*	*O*	
MCOMMON	*the Minimal COM feature*	*O*	
MCOMSTM	*the Minimal COM feature*		
MCOMSTR	*the Minimal COM feature*	*O*	
Msf	*OLE storage support component*	*O*	
Ole232	*OLE services support component*	*O*	
Olemain	*OLE main component*		
Stg	*OLE lightweight storage component*		
Oleaut32	OLE automation module	O	
oaall		*O*	
idisppproxy			
RNFC			
RPCLTCCM	Remote Procedure Calling (RPC) transport DLL		
RPCLTSCM	RPC transport DLL		
RPCRT4	RPC main engine		

Copyright 2002 CASIO Computer Co., Ltd. All rights reserved.

Uuid	Universally unique identifier (UUID) support module	O	
DirectX			
ACMDWRAP	Wave API and PCM manager support	O	
amcompat	DirectShow for Windows Media Player	O	
amstream	DirectShow		
ANXJTEST			
CaptureEcho	DirectSound Sample capture application		
CEDRM2	license acquisition OCX for Digital Rights Management (DRM)		
CEDRMUTIL	DRM for portable devices		
ceplayer	Sample Windows media player application	O	
D3D8	Microsoft Direct3D® core functionality		
D3DREF8	a reference rasterizer for Direct3D		
D3DSAMPLES	sample applications for Direct3D		
ddcaps	DirectDraw caps viewer		
DDCORE	DirectDraw core functionality	O	
D3DHOOK	*Direct3D components*		
ddhel	DirectDraw driver module	O	
ddi_ds3v	Sample DirectDraw drivers		
ddi_igs5	Sample DirectDraw drivers		
ddsamples	DirectDraw sample applications		
DDVD			
directdraw	DirectDraw driver module	O	
directsound	DirectSound		
DMCOMPOS	a wave sample for the software synthesizer		
dmsynth	DirectMusic software synth		
dmusic	DirectMusic engine		
DMUSICSAMPLES			
DPNHUPNP	a NAT interface for Real-Time Communications (RTC)		
dshowsamples	DirectShow sample applications		
dsmixer	DirectSound vanilla fixed-rate mixer		
dsmixermr	DirectSound high-quality multirate mixer		
DSOUND	DirectSound mixers		
dsmixer	*Fixed-rate DirectSound mixer*		
dsmixermr	*Multi-rate DirectSound mixer*		
dsplay	DirectSound sample application		
DVDPLAY	a sample DVD player application		
DVDSAMPLE	a sample application that plays DVD-Video back through a window on the screen of a Windows CE–based device		
dxmasf	Windows Media core	O	
acmobj	*dxmasf component (Audio dispatcher)*		
ASXPLAYL	*.asx v2 files*	*O*	
DRMV7	*DRM for portable devices*		
DRMV7HL	*DRM for portable devices*		
errormsgs	*dxmasf component (the error string-table resource)*		
filestrm	*dxmasf component (File streaming)*	*O*	
httpstrm	*dxmasf component (HTTP streaming)*	*O*	
icmobj	*dxmasf component (Video dispatcher)*		
m3uplayl	*dxmasf component (.m3u and .asx v1 support)*	*O*	
msbstrm	*dxmasf component (MS Broadcast and Multi Bit-Rate (MBR) streaming)*	*O*	

Copyright 2002 CASIO Computer Co., Ltd. All rights reserved.

msstrm	*dxmasf component (MMS streaming)*	*O*	
nscfileparser	*dxmasf component (.nsc support)*	*O*	
QTZBASE	*the quartz module for a display-based device*	*O*	
QTZBASEHL	*the quartz module for a headless-based device*		
urlgrab	*dxmasf component (URL grabber)*	*O*	
urlobj	*dxmasf component (URL dispatcher)*	*O*	
xmlplayl	*dxmasf component (.asx v3 support)*	*O*	
DXMRTP	all WMT core components		
dxview	DirectX viewer		
GRAPHEDT	the Graphedt.exe tool		
es1371	Sample wavedev drivers for DirectSound emulation		
iccvid	DirectShow video codecs		
icm	DirectShow video codecs		
idses1371	Sample DSHAL DirectSound driver		
idswave	DirectSound wave compatibility		
igs5000	Sample wavedev drivers for DirectSound emulation		
imaadpcm	DirectShow audio codecs	O	
L3CODEC	the Fraunhofer MP3 codec	O	
l3filter	MP3 Audio decompressor		
mixerapi	DirectSound Mixer API		
mmtimer	DirectShow	O	
MPG4DS32	the MPEG4 v3 codec		
mpeg4v3	Windows Media Video 7 and MPEG-4 decompressor		
msacmce	DirectShow audio codecs	O	
msadpcm	DirectShow audio codecs		
MSAUD32		O	
msdls	DirectMusic wave samples		
msdxm	DirectShow for Windows Media Player	O	
bkgndbmp	*msdxm component*	*O*	
statbar	*msdxm component*	*O*	
toolbar	*msdxm component*	*O*	
msg711	DirectShow audio codecs		
MSGSLANG	resources that can be localized for Windows Messenger		
msgsm610	DirectShow audio codecs		
MSMSGS	the Windows Messenger feature		
msrle32	DirectShow video codecs		
pcmconv	DirectShow audio codecs		
quartz	DirectShow	O	
acmwrap	*DirectShow ACM support*	*O*	
amutil	*Core quartz components*	*O*	
asyncrdr	*Core quartz components*	*O*	
avidec	*AVI support*		
avimsr	*AVI support*		
dsndout	*DShow DSound audio renderer*		
fgctl	*Core quartz components*	*O*	
filerend	*Windows Media core*	*O*	
filgraph	*Core quartz components*	*O*	
image	*DirectShow Video Renderer*	*O*	
mididm	*MIDI support*		
mpgadec	*MPEG Audio support*		
mpgsplit	*MPEG splitter/parser*	*O*	

Copyright 2002 CASIO Computer Co., Ltd. All rights reserved.

mpgvdec	*MPEG Video support*		
ovmixer2	*Overlay Mixer (Broadcast Services or DVD Playback) and Video Renderer Control*		
qtrdr	*QuickTime2 support*		
qtzbase	*Core quartz components*	*O*	
scmdout	*Windows Media core*	*O*	
urlrdr	*DSHOW URLMon reader*	*O*	
wavemsr	*WAV support*	*O*	
waveout	*DShow WaveOut audio renderer*	*O*	
RTCCLIENT	the RTC feature		
RTCIMSP	the Windows Messenger feature		
sl_anet	Acelp.net audio decompressor		
vrctl	DirectShow for Windows Media Player		
wavebuff	DirectSound wave compatibility		
wmaudio	Windows Media Audio decompressor		
wmphlpr	Sample WMP helper dll for browser integration		
IE			
IECEExt		O	
IEPEERS	Provides printing functionality for Microsoft® Internet Explorer.		
Iesample	Sample IE browser application (using IE components)		
INETCPL	Provides a sample Internet control panel.		
Mlang	Internet Explorer support module (internationalization of Internet data)	O	
MSCEFILE	files.		
Mshtml	Internet Explorer support module (HTML parsing and rendering engine)		
tvlens	*optional TV features*		
MSLS31			
MSXML3	Implements Microsoft® XML Parser (MSXML) version 3.0 SP1, which is a parser for Extensible Markup Language (XML) files.		
XMLDOM	Supports the basic Document Object Model (DOM) for MSXML.		
XMLHTTP	Implements the XMLHTTP object.		
XMLMINISAX	Provides the smallest possible XML configuration for devices that require some XML parsing but have extremely limited resources.		
XMLNETFULL	Relies on WinInet and Urlmon to perform network operations, such as downloading DTDs from remote servers.		
XMLNETMINI_HTTPLITE	Performs network operations using httplite, which is a stripped down version of WinInet intended for devices that have resource limitations.		
XMLNETMINI_WININET	Performs network operation using WinInet.		
XMLSAX	Supports Simple API for XML (SAX)-based parsing.		
XMLXQL	Provides support for the XML Query Language (XQL).		
XMLXSLT	Provides XML Stylesheet Language Transformation (XSLT) support.		
shlwapi		O	
Shdocvw	Internet Explorer support module (ActiveX control of navigation functions)		
TVLENSREG	Supports television-style navigation.		
DTA			
FWL			
NOVSCL			
Urlmon	IE support module (monitors URLs and reports changes to Web sites)	O	
WinInet	Internet support module	O	
WPLAYER	Wave file player		

Copyright 2002 CASIO Computer Co., Ltd. All rights reserved.

MSMQ (Message Queuing)			
Mqoa	Microsoft Message Queue Server (MSMQ) support module		
Msmqadm	MSMQ support module (administration and configuration)		
Msmqd	main MSMQ engine (implemented in a device driver)		
msmqdSrmp			
Msmqrt	MSMQ support module (MSMQ run-time API)		
Netregd	MSMQ support module (network-registration, DHCP required)		
VISADM	Visual front end for MSMQADM.exe and MSMQ configuration		
RDP			
atlconman			
atlconwiz			
atlprop			
atlwbtprnwiz			
atlwbtwiz			
MSTSCAX	The ActiveX® component that handles all communications for the RDP client.		
PRNPRXY	The printer proxy component used to redirect RDP printer data to the local printer.		
SSBLANK	Implements the blank style screen saver for the Windows Thin Client shell.		
SSFLOAT	Implements the floating style screen saver for the Windows Thin Client shell.		
SSTILED	Implements the titled style screen saver for the Windows Thin Client shell.		
mstsc			
mstscax			
WBTPRNCPL	Launches the printer wizard from the Control Panel tab of the Terminal Properties		
WBTSHELL	The Windows Thin Client executable shell that controls the user interface.		
wbttaskman			
SCRIPT			
Jscript	Microsoft Jscript development software module	O	
VBSCRIPT	Microsoft Visual Basic® Scripting Edition version 5.5		
SERVERS			
ASP	Active Server Pages (ASP)		
Aspcolct	*Collection of ASP objects*		
Aspcore	*Required component for all configurations*		
Aspparse	*header files and ASP Preprocessor directives*		
BTCONFIG	the Bluetooth gateway configuration utility for a platform that includes the Web Server (HTTPD) feature		
FTPD	the FTP server feature		
HTTPD	Web server implementation		
Httpasp	*ASP pages*		
Httpauth	*Required for authentication*		
Httpcore	*Core Web server component*		
Httpextn	*ISAPI extensions*		
Httpfilt	*ISAPI filters*		
Httpisapi	*server-side scripting with the httpextn, httpfilt, and httpasp components*		
Httpparse	*Web server parsing component*		
HTTPDADM	administrative functionality for the Web server		

Copyright 2002 CASIO Computer Co., Ltd. All rights reserved.

httpdsvc	HTTP Server		
MSMQADMEXT	MSMQ admin Internet Server Application Programming Interface (ISAPI) plug-in		
mssoap1	Soap Toolkit		
MSSOAPR	Soap Toolkit		
NATADMIN	Supports a sample administration utility for the Residential Gateway configuration.		
OBEXAPI	Provides APIs for the Object Exchange Protocol (OBEX).		
OBEXEXEC	Supports OBEX.		
OBEXFILE	Provides file server for OBEX.		
OBEXINBX	Provides default inbox for OBEX.		
OBEXSRVR	Provides server DLL for OBEX.		
OBEXUUID	Supports OBEX.		
SERVICES	Soap Toolkit		
SOAPISAP	Supports an Internet Server API (ISAPI) handler.		
SOAPPRXY	The SOAP proxy component.		
srmpIsapi	Components from MSMQ		
SYSISAPI	Provides a sample ISAPI Web page.		
TELNETD	Supports the Telnet Server feature.		
UPNPCAPI	Supports the Universal Plug and Play (UPnP) feature.		
UPNPCTRL	Supports the UPnP feature.		
UPNPHOST	Supports the UPnP feature.		
UPNPLOADER	Supports the UPnP feature.		
UPNPSVC	Supports the UPnP feature.		
WISC10	Soap Toolkit		
WCEAPPSFE			
ADDRSTOR	Supports the Pocket Outlook Object Model (POOM) feature.		
CALNOT	Supports POOM.		
CALSTORE	Supports POOM.		
CITYDB	Supports POOM.		
IMAP4	Microsoft Exchange Server client-server messaging and groupware module		
Labledit	Pocket Inbox module		
Mailutil	Pocket Inbox module		
Msgstore	Pocket Inbox module		
Office	Microsoft pocket applications module		
Pimprint	Pocket applications module		
PIMRES	Supports POOM.		
PIMSTORE	Supports POOM.		
PIMUTIL	Supports POOM.		
Pmail	Pocket Inbox module		
Pwd_res	Pocket Word module		
Pword	Pocket Word module		
Pwwiff	Pocket Word module		
Riched20	Pocket applications module		
Smtp	Simple Mail Transfer Protocol (SMTP) Inbox module		
TNEFEX	Transport Neutral Encapsulation Format (TNFE) utilities; Pocket Inbox module		
TNEFU	Transport Neutral Encapsulation Format (TNFE) utilities; Pocket Inbox module		
Tnefutil	Pocket applications module		
Uicom	Pocket applications module		

Copyright 2002 CASIO Computer Co., Ltd. All rights reserved.

WCESHELLFE			
ADVBACKLIGHT	Supports advanced backlight functionality.		
Asform	Shell support module (H/PC like shell used)	O	
BTHPNL	Supports Bluetooth settings for wireless communications.		
Ceshell	Shell support module (H/PC like shell used)	O	
CHAJEIIM	Traditional Chinese IM's		
CHSIME98	Simplified Chinese Intelligent IME (MSPY2)		
connpnl			
Control	Control Panel application module		
Cplmain	Main Control Panel application module		
Backlight	*Backlight Control Panel application component*		
Colorscheme	*Color schemes Control Panel application component*		
CERTS	*Certificate settings Control Panel application component of the cplmain module*		
Comm	*Common Control Panel application component*		
Datetime	*Date and time Control Panel application component*		
Dialing	*Dialing Control Panel application component*		
Display	*Display Control Panel application component*		
Keyboard	*Keyboard Control Panel application component*		
Mouse	*Mouse Control Panel application component*		
Network	*Network Control Panel application component*		
Owner	*Owner Control Panel application component*		
Password	*Password Control Panel application component*		
Pointercmn	*Mouse and stylus Control Panel application component*		
Power	*Power Control Panel application component*		
Sip	*Input panel Control Panel application component*		
Sounds	*Sound Control Panel application component*		
Stylus	*Stylus Control Panel application component*		
System	*System Control Panel application component*		
Ctlpnl	Control Panel helper process module		
Explorer	Handheld PC-style shell module		
freecell	FreeCell application.		
ftpupdate	FTPUpdate component		
HRTS_DLL	FreeCell application.		
Htmlview	Hypertext Markup Language (HTML) Help engine control module		
Iexplore	Microsoft Pocket Internet Explorer Internet browser module		
Imgdecmp	Pocket Internet Explorer image decompression module	O	
Intll	Regional settings Control Panel application module (landscape)		
INTLLIME	Simplified Chinese Intelligent IME (MSPY2)		
Intlp	Regional settings Control Panel application module (portrait)		
KIMEUI	Korean IME		
mshime97	Korean IME		
MSIMECJ	Chang Jei input		
MSIMEPH	phonetic input based on the Bopomofo standard		
MSIMEPY	Simplified Chinese Pocket IME		
MSIMESP	Simplified Chinese Pocket IME		
MSIMEUIC	Simplified Chinese Pocket IME		
MSIMK	Korean IME		
MSPY2DB1	MSPY2 Data Files		
MSPY2DB3	MSPY2 Data Files		

Copyright 2002 CASIO Computer Co., Ltd. All rights reserved.

MSPY2DB7	MSPY2 Data Files		
MSPY2HELP	Simplified Chinese Intelligent IME (MSPY2)		
PEGCARDS	Supports the Solitaire application.		
Peghelp	HTML-based help module	O	
pegcards			
PHONIM	Traditional Chinese IM's		
PIMETCDB	database for traditional Chinese pocket IME		
SOLITARE	Solitaire application		
SPIM	Shuang Pin input		
STGUIL	Provides storage manager UI settings for a landscape orientation.		
STGUIP	Provides storage manager UI settings for a portrait orientation.		
Taskman	Task Manager module (Sample shell)		
TRANSCRIBER	Supports the Transcriber Handwriting Recognizer Application.		
Webview	Pocket Internet Explorer HTML module	O	Modified module

Copyright 2002 CASIO Computer Co., Ltd. All rights reserved.